



SCHEMATIC OF THE HEATHKIT® SSB MOBILE TRANSMITTER MODEL HX-20

ALL VOLTAGE AND RESISTANCE MEASURED WITH 11 MEGOHM INPUT V1VM.
ALL RESISTORS ARE 1/2 WATT UNLESS OTHERWISE SPECIFIED.
ALL CAPACITORS ARE IN μF UNLESS SHOWN OTHERWISE.
RELAY K1 IS SHOWN IN RECEIVE POSITION.
MODE SWITCH SHOWN IN LOWER SIDEBAND POSITION.
FUNCTION SWITCH SHOWN IN OPERATE POSITION.
BAND SWITCH SHOWN IN 80 METER POSITION.
○ ALL VOLTAGES ARE MEASURED FROM CHASSIS GROUND.



**SCHEMATIC OF THE
HEATHKIT®
SSB MOBILE TRANSMITTER
MODEL HX-20**



ALL VOLTAGE AND RESISTANCE MEASURED WITH 11 MEGOHM INPUT VTVM.
ALL RESISTORS ARE 1/2 WATT UNLESS OTHERWISE SPECIFIED.
ALL CAPACITORS ARE IN $\mu\mu\text{f}$ UNLESS SHOWN OTHERWISE.
RELAY K1 IS SHOWN IN RECEIVE POSITION.
MODE SWITCH SHOWN IN LOWER SIDEBAND POSITION.
FUNCTION SWITCH SHOWN IN OPERATE POSITION.
BAND SWITCH SHOWN IN 80 METER POSITION.
○ ALL VOLTAGES ARE MEASURED FROM CHASSIS GROUND.

TER

MEG OHM INPUT VTVM.
SPECIFIED,
WISE.

GROUND.

